



VERSION	VOLTAGE (D.C.)	NO LOAD SPEED (mm/sec)	NOMINAL LOAD (KG)	NO LOAD CURRENT (A)	NOMINAL CURRENT (A)	MAX.LOAD (KG)
<u>LAF 0,5A 1/12</u>	12	13	2	0,2	0,4	3
	24	26	4	0,2	0,7	6
<u>LAF 0,5A 1/27</u>	12	6	4	0,2	0,4	7
	24	12	8	0,2	0,7	14
<u>LAF 0,5A 1/48</u>	12	3	8	0,2	0,4	15
	24	6	16	0,2	0,7	30
<u>LAF 0,5A 1/108</u>	12	1,5	16	0,2	0,4	30
	24	3	32	0,2	0,7	60

<u>LAF 1A 1/12</u>	12	18	4	0,3	0,8	8
	24	36	8	0,3	1,3	18
<u>LAF 1A 1/27</u>	12	8	10	0,3	0,8	13
	24	16	20	0,3	1,3	26
<u>LAF 1A 1/48</u>	12	4,5	22	0,3	0,8	40

<u>LAF 2A 1/12</u>	12	28	13	0,4	1,4	20
	24	56	26	0,4	2,2	40
<u>LAF 2A 1/27</u>	12	13	20	0,4	1,4	40

<u>LAF 4A 1/12</u>	12	37	24	0,5	2,5	40
--------------------	----	----	----	-----	-----	----

To order contact

ALLIED INTERNATIONAL CORP

7 HILL STREET

BEDFORD HILLS , NY 10507

PHONE 914 241 6900 FAX 914 241 6985 EMAIL sales@alliedinter.com



2018 INTRODUCTORY PRICING

Base model TORxNADO LAF Actuator: \$67.75 EX WORKS Deland FL

Options

1. Thermal Protection + \$2.50
2. Encoder NPN + \$22.00
3. Flex Screw per meter + \$11.80
 - Minimum Order \$200.00 ,
 - Credit card fee 3%,
 - Lead time 2-4 weeks for base model subject to confirmation at time of order
 - Warranty under normal use 1 year. Suitable for intermittent not continuous operation
 - Allied International Standard Terms and Conditions apply

1. General tolerances +/- 20%
2. Working temperature: -20 °C / + 80 ° C
3. Some models available only to 12 Vdc (see table)
4. Encoder (hall sensor) and thermal protection upon request

To order contact

ALLIED INTERNATIONAL CORP

7 HILL STREET

BEDFORD HILLS , NY 10507

PHONE 914 241 6900 FAX 914 241 6985 EMAIL sales@alliedinter.com